

1. IDENTIFICATION

Product Name Magnesium sulfate, heptahydrate

Other Names Magnesium sulphate - MAGRICULTURE; Sulfuric acid magnesium salt (1:1), heptahydrate

Uses Pharmaceuticals, bath soak, purgative; Industrial use; for correcting magnesium deficiency in crops and for use in

animal feed.

Chemical Family No Data Available **Chemical Formula** MgSO4.7H2O

Chemical Name Sulfuric acid, magnesium salt, heptahydrate

Product Description No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor. Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not scheduled

Globally Harmonised System

Corporate Office Sydney
Locked Bag 15 Minto NSW 2566 Australia 2 Swettenham Road Minto NSW 2566 Australia All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

E-mail

Phone +61 2 9733 3000 +61 2 9733 3111 svdnev@redox.com www.redox.com 92 000 762 345

Adelaide Brisbane Melbourne Perth Sydney

Auckland Hawke's Bay London





Hazard Classification NOT hazardous according to the criteria of the Globally Harmonised System of Classification and

Labelling of Chemicals (GHS)

Signal Word None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Magnesium sulfate, heptahydrate	MgSO4.7H2O	10034-99-8	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth, then drink plenty of water. If vomiting occurs, drink further water. Get medical

advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

Eye IF IN EYES: Rinse cautiously with water for several minutes, holding eyelids open and occasionally lifting the upper

and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye

irritation occurs, get medical advice/attention.

Skin IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin

irritation occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing until recovered. If

respiratory symptoms persist, get medical advice/attention. Apply resuscitation if victim is not breathing. Administer

oxygen if breathing is difficult.

Advice to Doctor Treat symptomatically.

Medical Conditions Aggravated No information available.

by Exposure

5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is

out.

Flammability Conditions Non-combustible; Material does not burn.

Extinguishing Media If material is involved in a fire, use dry chemical, Carbon dioxide, foam or water spray for extinction.

Fire and Explosion Hazard No information available.

Hazardous Products of

Combustion

Fire or heat will produce irritating and/or toxic fumes, including oxides of Sulfur, Magnesium oxide.

Special Fire FightingContain runoff from fire control or dilution water - Runoff may pollute waterways.

Instructions

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) in combination with normal firefighting clothing (fire kit).

Flash Point No Data Available
Lower Explosion Limit No Data Available
Upper Explosion Limit No Data Available

Auto Ignition Temperature

No Data Available

Hazchem Code

No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. Do not touch or walk through spilled material - Slippery when spilt. Avoid generating

dust. Avoid breathing dust and contact with eyes, skin and clothing.

Clean Up Procedures Collect material (vacuum or sweep up) and place into suitable containers for later disposal (see SECTION 13); if

appropriate, moisten first to prevent dusting.

Wash area down with excess water.

Containment Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Prevent dust cloud.

Decontamination **Environmental Precautionary**

Prevent entry into drains and waterways. Measures

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away; Keep upwind.

Personal Precautionary

Measures

Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

> adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing. Use personal protective equipment as required (see

SECTION 8).

Storage Store in a cool, dry and well-ventilated place. Keep container tightly closed when not in use - check regularly for

spills. Keep away from incompatible materials (acids, strong oxidising agents).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

No specific exposure standards are available for this product. For dusts from solid substances without specific General

occupational exposure standards:

- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m3 (measured as inhalable dust).

- New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m3 (total); TWA = 3 mg/m3 (respirable).

Exposure Limits No Data Available

Biological Limits No information available on biological limit values for this product.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local

exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Ensure ventilation is adequate to maintain air concentrations

below workplace exposure standards.

Personal Protection Equipment Respiratory protection: In case of inadequate ventilation or if an inhalation risk exists, wear respiratory protection.

Recommended: Type P1 dust mask/respirator.

Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses. Use

equipment for eye protection tested and approved under appropriate government standards.

Hand protection: Handle with gloves. Recommended (full/splash contact): Impervious gloves, e.g. Nitrile rubber

(Minimum layer thickness: 0.11 mm; Break through time: 480 min).

Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes. The type of protective equipment must be selected according to the concentration and amount of the

hazardous substance(s) at the specific workplace.

Special Hazards Precaustions

No information available.

Work Hygienic Practices Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other

protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Crystals/powder Odour Odourless Colour White pН 6 - 8

Vapour Pressure No Data Available **Relative Vapour Density** No Data Available **Boiling Point** No Data Available **Melting Point** No Data Available Freezing Point No Data Available Solubility Soluble in water No Data Available **Specific Gravity** Flash Point No Data Available **Auto Ignition Temp** No Data Available **Evaporation Rate** No Data Available **Bulk Density** No Data Available **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available Density No Data Available **Specific Heat** No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available Saturated Vapour Concentration No Data Available **Vapour Temperature** No Data Available

VOC Volume No Data Available **Additional Characteristics** No information available. **Potential for Dust Explosion** No information available. Fast or Intensely Burning No information available. Characteristics

Flame Propagation or Burning **Rate of Solid Materials**

Viscosity

Volatile Percent

No information available.

No Data Available

No Data Available

Non-Flammables That Could Contribute Unusual Hazards to a

No information available.

Properties That May Initiate or Contribute to Fire Intensity

Non-combustible; Material does not burn.

Reactions That Release Gases or Vapours

Fire or heat will produce irritating and/or toxic fumes, including oxides of Sulfur, Magnesium oxide.

Release of Invisible Flammable

Vapours and Gases

No information available.

10. STABILITY AND REACTIVITY

General Information No information available.

Chemical Stability Stable under recommended storage conditions.

Conditions to Avoid Avoid dust generation.

Materials to Avoid Incompatible/reactive with acids, strong oxidising agents.

Hazardous Decomposition

Products

Fire or heat will produce irritating and/or toxic fumes, including oxides of Sulfur, Magnesium oxide.

Hazardous Polymerisation No information available.

11. TOXICOLOGICAL INFORMATION

General Information Information on possible routes of exposure:

- Ingestion: May cause a laxative effect if swallowed.

- Eye contact: The dust may cause (physical) eye irritation due to particulate nature.

- Skin contact: May cause skin irritation.

- Inhalation: he dust may cause respiratory irritation.

Carcinogen Category None

12. ECOLOGICAL INFORMATION

EcotoxicityNo information available.Persistence/DegradabilityNo information available.MobilityNo information available.

Environmental Fate Prevent entry into drains and waterways.

Bioaccumulation Potential No information available.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container to a licensed disposal company, and in accordance with local/regional/national

regulations.

Special Precautions for Land Fill Contaminated packaging: Dispose of as unused product.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available

Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (China)

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Fiji)

Proper Shipping Name Magnesium sulfate, heptahydrate

ClassNo Data AvailableSubsidiary Risk(s)No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name Magnesium sulfate, heptahydrate

ClassNo Data AvailableSubsidiary Risk(s)No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name Magnesium sulfate, heptahydrate

ClassNo Data AvailableSubsidiary Risk(s)No Data Available

No Data Available
No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Magnesium sulfate, heptahydrate

ClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data AvailableEMSNo Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name Magnesium sulfate, heptahydrate

ClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General InformationNo Data AvailablePoisons Schedule (Aust)Not scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Hazardous

National/Regional Inventories

Australia (AICS) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) Not Determined

Europe (REACh)Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes

MASULP9800, MASULP0002, MASULP0100, MASULP0101, MASULP0200, MASULP0300, MASULP0310, MASULP0311, MASULP0500, MASULP0501, MASULP0600, MASULP0601, MASULP0800, MASULP0801, MASULP0850, MASULP0900, MASULP0901, MASULP1000, MASULP1001, MASULP1002, MASULP1003, MASULP1004, MASULP1005, MASULP1006, MASULP1007, MASULP1008, MASULP1009, MASULP1010, MASULP1011, MASULP1012, MASULP1013, MASULP1014, MASULP1015, MASULP1016, MASULP1017, MASULP1018, MASULP1019, MASULP1020, MASULP1021, MASULP1022, MASULP1023, MASULP1024, MASULP1025, MASULP1030, MASULP1035, MASULP1050, MASULP1055, MASULP1056, MASULP1060. MASULP1065, MASULP1088, MASULP1090, MASULP1091, MASULP1100, MASULP1101, MASULP1102, MASULP1103, MASULP1200, MASULP1201, MASULP1255, MASULP1256, MASULP1350, MASULP1400, MASULP1401, MASULP1402, MASULP1403, MASULP1404, MASULP1405, MASULP1406, MASULP1407, MASULP1408, MASULP1409, MASULP1410, MASULP1411, MASULP1412, MASULP1413, MASULP1414, MASULP1415, MASULP1416, MASULP1417, MASULP1418, MASULP1419, MASULP1420, MASULP1421, MASULP1422, MASULP1423, MASULP1424, MASULP1425, MASULP1430, MASULP1488, MASULP1700, MASULP1800, MASULP1801, MASULP1802, MASULP1803, MASULP1804, MASULP1805, MASULP1806, MASULP1807, MASULP1808, MASULP1809, MASULP1810, MASULP1811, MASULP1812, MASULP1813, MASULP1820, MASULP1830, MASULP1831, MASULP1840, MASULP1888, MASULP1900, MASULP2000, MASULP2001, MASULP2002, MASULP2003, MASULP2004, MASULP2005, MASULP2006, MASULP2007, MASULP2008, MASULP2009, MASULP2020, MASULP2030, MASULP2040, MASULP2050, MASULP2100, MASULP2101, MASULP2200, MASULP2201, MASULP2202, MASULP2300, MASULP2301, MASULP2302, MASULP2400, MASULP2401, MASULP2402, MASULP2606, MASULP2701, MASULP2800, MASULP2900, MASULP2901, MASULP2902, MASULP2903, MASULP2904, MASULP2905, MASULP2906, MASULP2907, MASULP2910, MASULP2913, MASULP2915, MASULP2920, MASULP2921, MASULP2922, MASULP2923, MASULP2935, MASULP2930, MASULP2931, MASULP2933, MASULP3000, MASULP3001, MASULP3002,

```
MASULP3100, MASULP3101, MASULP3110, MASULP3200, MASULP3201, MASULP3300, MASULP3301,
MASULP3302, MASULP3303, MASULP3304, MASULP3310, MASULP3311, MASULP3312, MASULP3320,
MASULP3330, MASULP3331, MASULP3332, MASULP3333, MASULP3334, MASULP3400, MASULP3600,
MASULP3716, MASULP3800, MASULP3805, MASULP3810, MASULP3812, MASULP4000, MASULP4001,
MASULP4003, MASULP4004, MASULP4100, MASULP4200, MASULP4201, MASULP4300, MASULP4400,
MASULP4500, MASULP4501, MASULP4502, MASULP4600, MASULP4800, MASULP4820, MASULP4850,
MASULP5000, MASULP5500, MASULP6000, MASULP6500, MASULP6501, MASULP6600, MASULP6900,
MASULP7600, MASULP7000, MASULP7001, MASULP7300, MASULP7500, MASULP7501, MASULP7600,
MASULP7700, MASULP7701, MASULP7702, MASULP7703, MASULP7704, MASULP7710, MASULP7800,
MASULP7900, MASULP7901, MASULP7910, MASULP8000, MASULP8001, MASULP8002, MASULP8600,
MASULP8900, MASULP8901, MASULP8902, MASULP8904, MASULP8910, MASULP8911, MASULP8950,
MASULP9000, MASULP9100, MASULP9250, MASULP9300, MASULP9400, MASULP9500, MASULP9501,
MASULP9505, MASULP9510, MASULP9511, MASULP9512, MASULP9518, MASULP9524, MASULP9540.
MASULP9550, MASULP9600, MASULP9601, MASULP9602, MASULP9603, MASULP9610, MASULP9611,
MASULP9612, MASULP9618, MASULP9620, MASULP9622, MASULP9624, MASULP9630, MASULP9700,
MASULP9701, MASULP9702, MASULP9710, MASULP9720, MASULP9730, MASULP9740, MASULP9741,
MASULP9780, MASULP9790, MASULP9800, MASULP9801, MASULP9802, MASULP9840, MASULP9890,
MASULP9900, MASULP9901, MASULS1000, MASULS9800, MASUPH1000, MASUPH2000, MASUPH3000,
MASUPH4000
```

Revision

Revision Date 21 Sep 2017
Reason for Issue SDS updated
Key/Legend < Less Than

AICS Australian Inventory of Chemical Substances

> Greater Than **AICS** Australian I **atm** Atmosphere

3

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health **immiscible** Liquids are insoluable in each other.

inHg Inch of Mercury inH2O Inch of Water

K Kelvin kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. **LD50** LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH2O Millimetres of Water mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Heath and Safety Commission OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion
ppm Parts per Million

ppm/2h Parts per Million per 2 Hours **ppm/6h** Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine RCP Reciprocal Calculation Procedure STEL Short Term Exposure Limit TLY Threshold Limit Value

tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight